# Framery 2Q

## Not only a pod, but a full-sized meeting room




**Framery 2Q** meeting pod is designed for 4-6 people, making it the ideal place to co-create, brainstorm and have meetings. Our superior sound insulation and echo-free acoustics ensure that your meetings won't disturb the office – and the office noise won't disturb you.

## Perfect for you

How do you work best? Choose the interior layout that best suits your needs.





## Huddle up for your next team meeting!

Framery 2Q Huddle is an ideal setup for your meetings, whether everyone attending is present or some are joining remotely. Gather your team of four around a spacious table where everyone fits comfortably, laptops included! The spacious pod allows you to bring in two extra chairs and everyone to move around freely. Optimize your meetings with a screen bracket and whiteboard set on the opposite wall to ensure that everyone present, physically or virtually, shares the same vision.



Framery 2Q Lounge

### Living room in your office

Framery 2Q Lounge interior layout provides a more casual environment for company meetings, a calm space to retreat to during the workday, or an area for socialization. Custom-designed Clint Sofa, large whiteboard, free-standing Piaggio table and a wall shelf make up for a functional yet relaxed setting. The adjustable airflow and lighting create a happy atmosphere to work in. Additional options include, for example, a display bracket on the wall for a TV or a booking system ready option for the door for reserving the pod.



Framery 2Q Without Furniture

### Have it in your style

You can choose the Framery 2Q meeting pod without furniture, leaving you the option to furnish it the way you like. The superb sound insulation ensures you and your team total sound privacy and the adjustable airflow creates a happy atmosphere to work in. The power column is a fixed component with 3 power sockets and charging twin USB (A+C), also providing an option for a display bracket or a whiteboard. A low doorstep makes the Framery 2Q wheelchair accessible.

## Framery 2Q

### **COLORS**

#### Exterior

White Glossy (Standard) RAL 9016

White Ultramatt & Whiteboard exterior

Grav S7500-N

> Blush 2728-R01B

Black RAL 9005

Cloudy Gray RAL 850-2

Misty Blue

RAL 620-3

Winter Moss S 7010-G10Y Petrol Blue RAL 690-6

50's Blue RAL 6034

**Burned Orange** RAL 410-5

Navy S 7020 - R90B Purple Red RAL 3004

Lemon **RAL 1012** 

Piglet Pink RAL 940-6

Powder Blue 3421-R86B

Forest Green RAL 750-4

Spring Green RAL 230-6

Sand S 2010 - Y20R

#### Frame

White (Standard) F6463 Formica

50's Blue F7879 Formica

Forest Green F7967 Formica

Misty Blue F1998 Formica Black F2253 Formica

**Burned Orange** F2962 Formica

Spring Green 0630-60 Resopal

Lemon 0647 Arpa Industriale Cloudy Gray F0189 Formica

Purple Red F7966 Formica

Petrol Blue 850 Abet Laminati

Piglet Pink 830 Abet Laminati

#### **Table**

White (Standard) White laminate

Black Black laminate

#### Clint Sofa upholstery

Clint Lemon (Standard) Steelcut Trio 3 #446 Kvadrat

50's Blue

Divina MD #813 Kvadrat

Graphite Select #60051 Gabriel

Grape Select #61190 Gabriel Clint Gray (Standard) Fiord 2 #151 Kvadrat

**Burned Orange** Divina 3 #542 Kvadrat

Dark Blue

Select #66144 Gabriel

Select #65117 Gabriel

Cloudy Gray Divina MD #733 Kvadrat

Purple Red Divina MD #633 Kvadrat

Powder Blue Select #67098 Gabriel

Misty Blue Divina Melange 2 #731 Kvadrat

Select #68209 Gabriel

Piglet Pink Divina MD #613 Kvadrat

Beige

Select #61184 Gabriel Antimicrobial

Highland Graphite 954 Panaz

Petrol Blue

Forest Green Divina 3 #876 Kvadrat

Divina MD #843 Kvadrat

Mustard Select #62098 Gabriel

### **MATERIALS**

#### Exterior

Painted sheet metal

#### Frames and table

Formica laminate on birch plywood with varnish trim

Anti-static and stain resistant low loop pile carpet for the floor

#### Walls and roof

A sandwich element of sheet metal, birch plywood, recycled acoustic foam and acoustic felt

Sound control laminated glass (5 + 5 mm)

#### **OTHER**

#### Ventilation

Total airflow is 121 l/s, 256 CFM (436 m<sup>3</sup>/h) On standby mode the fans are working on 25 % of the maximum power.

Speech level reduction (D<sub>S,A</sub>) according to ISO 23351-1 testing method: 29 dB

#### Lighting

LED lights: 4500 K and 400 lux

#### **MEASUREMENTS**

#### Exterior

220 cm × 235 cm × 280 cm (height, width, depth) 7.2 ft × 7.7 ft × 9.1 ft (height, width, depth)

#### Interior

210 cm  $\times$  215 cm  $\times$  267 cm (height, width, depth) 6.8 ft  $\times$  7 ft  $\times$  8.7 ft (height, width, depth)

#### Doorway

86 cm wide / 2.8 ft wide

#### Lounge wall shelf

175 cm (length) / 5.7 ft (length)

#### Lounge Piaggio table

63 cm × 42 cm × 36 cm (height, width, depth) 2 ft × 1.3 ft × 1.1 ft (height, width, depth)

#### Huddle table

140 cm  $\times$  86 cm (length, width) / 4.5 ft  $\times$  2.8 ft (length, width) Working height options: 72 cm (2.3 ft) and 110 cm (3.6 ft)

Power cord can be only led out of the bottom from backside of the pod, the length is 3,5 m / 11.4 ft

#### Weight


950 kg / 2094 lb

#### Ventilation space

(Minimum recommended space for air to circulate) Above: 20 cm / 7,9 in

#### Whiteboard

240 cm  $\times$  100 cm (width, height) / 7.8 ft  $\times$  3.2 ft (width, height)



#### **POWER**

#### **Power consumption**

42 W while in use (Standard configuration)

- LED lights: 24 W - Fans in total: 18 W 5 W in standby mode

Input: 100-240 VAC, 8.0 A, 50-60 Hz

#### **Output values**

Output VAC (power socket): 100–240 VAC, 6,6 A, 50–60 Hz

Output USB (TUF) charging:

Maximum combined output of 5 A at 5 VDC (25 W)

#### Outlets

#### Without furniture

3 power sockets, USB-A+C

Optional: LAN (replaces 1 power socket)

#### Lounge

2 power sockets, USB-A+C

Optional: Data Cartridge with two LAN ports

#### Huddle

4 power sockets, USB-A+C, HDMI Optional: LAN (replaces 1 power socket)

All electric components can be changed if there is a malfunction. Power consumption is a constant value that is determined by the power usage of the pods' internal components (electric unit, motion detector, light and fans). Framery's products can be plugged into a wall socket. The pods have their own power supplies that give 24 V DC to the lights and 12 V DC to the fans. The lights and fans are operated by a motion detector. Inside the pods, there are country-specific power outlets for charging mobile devices.

#### **SCREEN SPECIFICATIONS (OPTIONAL)**

#### Lounge

Located on the center of the Lounge whiteboard. Screen not included. Screen specifications:

- Maximum display size: 50"
- Maximum weight: 30 kg / 66 lbs
- Tilting angle: +5/-8°

#### **VESA support:**

 $100 \times 100, 100 \times 150, 150 \times 100, 200 \times 100, 100 \times 200, 200 \times 200, 300 \times 200, 400 \times 200$ 

#### Huddle

Display bracket on the table wall. Possibility to mount a display on the opposite wall. Screen not included.

Screen specifications:

- Maximum display size: 50"
- Maximum weight: 30 kg / 66 lbs

#### VESA support:

 $100 \times 100, 100 \times 150, 150 \times 100, 200 \times 100,$  $100 \times 200, 200 \times 200, 300 \times 200, 400 \times 200$